

ADS
2015.01

ADS 2015_01 Hotfix Installation Instructions

Notice

© Keysight Technologies, Inc. 1983-2015

1400 Fountaingrove Pkwy., Santa Rosa, CA 95403-1738, United States

All rights reserved.

No part of this documentation may be reproduced in any form or by any means (including electronic storage and retrieval or translation into a foreign language) without prior agreement and written consent from Keysight Technologies, Inc. as governed by United States and international copyright laws.

Restricted Rights Legend

If software is for use in the performance of a U.S. Government prime contract or subcontract, Software is delivered and licensed as "Commercial computer software" as defined in DFAR 252.227-7014 (June 1995), or as a "commercial item" as defined in FAR 2.101(a) or as "Restricted computer software" as defined in FAR 52.227-19 (June 1987) or any equivalent agency regulation or contract clause.

Use, duplication or disclosure of Software is subject to Keysight Technologies' standard commercial license terms, and non-DOD Departments and Agencies of the U.S. Government will receive no greater than Restricted Rights as defined in FAR 52.227-19(c)(1-2) (June 1987). U.S. Government users will receive no greater than Limited Rights as defined in FAR 52.227-14 (June 1987) or DFAR 252.227-7015 (b)(2) (November 1995), as applicable in any technical data.

Acknowledgments

Layout Boolean Engine by Klaas Holwerda, v1.7 <http://boolean.klaasholwerda.nl/bool.html>

FreeType Project, Copyright (c) 1996-1999 by David Turner, Robert Wilhelm, and Werner Lemberg.

QuestAgent search engine (c) 2000-2002, JObjects.

Portions of the code Copyright (c) 1990-1996

The Regents of the University of California. All rights reserved. Permission is hereby granted, without written agreement and without license or royalty fees, to use, modify and distribute the Ptolemy software and its documentation for any purpose, provided that the above copyright notice and the following two paragraphs appear in all copies of the software and documentation.

In no event shall the University of California be liable to any party for direct, indirect, special, incidental, or consequential damages arising out of the use of this software and its documentation, even if the University of California has been advised of the possibility of such damage.

The University of California specifically disclaims any warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. The software provided hereunder is on an "as is" basis and the University of California has no obligation to provide maintenance, support, updates, enhancements, or modifications.

Portions of this product include the SystemC software licensed under Open Source terms, which are available for download at <http://systemc.org/>. This software is redistributed by Keysight. The Contributors of

the SystemC software provide this software "as is" and offer no warranty of any kind, express or implied, including without limitation warranties or conditions or title and non-infringement, and implied warranties or conditions merchantability and fitness for a particular purpose. Contributors shall not be liable for any damages of any kind including without limitation direct, indirect, special, incidental and consequential damages, such as lost profits. Any provisions that differ from this disclaimer are offered by Keysight only.

Motif is a trademark of the Open Software Foundation.

Netscape is a trademark of Netscape Communications Corporation.

UNIX is a registered trademark of the Open Group.

Microsoft, Windows, Windows NT, Windows 2000, and Windows Internet Explorer are registered trademarks of Microsoft Corporation in the United States and other countries.

Pentium is a registered trademark of Intel Corporation.

Acrobat, PDF, and PostScript are registered trademarks of Adobe Systems Incorporated.

FLEXlm and FLEXnet are registered trademarks of Flexera Software LLC Terms of Use for Flexera Software information can be found at <http://www.flexerasoftware.com/company/about/terms.htm>

Netscape Portable Runtime (NSPR), Copyright (c) 1998-2003 The Mozilla Organization. A copy of the Mozilla Public License is at <http://www.mozilla.org/MPL/>

FFTW, The Fastest Fourier Transform in the West, Copyright (c) 1997-1999 Massachusetts Institute of Technology. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Cadence, Allegro, Assura, Dracula, SKILL, Spectre, and Virtuoso are registered trademarks of Cadence Design Systems, Inc. in the United States and/or other jurisdictions.

Mentor, Mentor Graphics, Board Station, Calibre, and Expedition are registered trademarks of Mentor Graphics Corporation in the United States and other countries.

SystemC is a registered trademark of Open SystemC Initiative, Inc. in the United States and other countries and is used with permission.

Gradient, HeatWave and FireBolt are trademarks of Gradient Design Automation Inc.

The following third-party libraries are used by the NlogN Momentum solver:

Metis 4.0, Copyright © 1998, Regents of the University of Minnesota", <http://www.cs.umn.edu/~metis>, METIS was written by George Karypis (karypis@cs.umn.edu).

Intel® Math Kernel Library, <http://www.intel.com/software/products/mkl>

HSPICE is a registered trademark of Synopsys, Inc. in the United States and/or other countries.

DWG and DXF are registered trademarks of Autodesk, Inc. in the United States and/or other countries.

MATLAB is a registered trademark of The MathWorks, Inc. in the United States and/or other countries.

SuperLU_MT version 2.0

SuperLU Copyright: Copyright © 2003, The Regents of the University of California, through Lawrence Berkeley National Laboratory (subject to receipt of any required approvals from U.S. Dept. of Energy). All rights reserved.

SuperLU Disclaimer: THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

7-zip

7-Zip Copyright: Copyright (C) 1999-2009 Igor Pavlov.

Licenses for files are:

1. 7z.dll: GNU LGPL + unRAR restriction.
2. All other files: GNU LGPL.

7-zip License: This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details. You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA.

unRAR copyright: The decompression engine for RAR archives was developed using source code of unRAR program. All copyrights to original unRAR code are owned by Alexander Roshal.

unRAR License: The unRAR sources cannot be used to re-create the RAR compression algorithm, which is proprietary. Distribution of modified unRAR sources in separate form or as a part of other software is permitted, provided that it is clearly stated in the documentation and source comments that the code may not be used to develop a RAR (WinRAR) compatible archiver.

7-zip Availability: <http://www.7-zip.org/>

AMD Version 2.2

AMD Notice: The AMD code was modified. Used by permission.

AMD copyright: AMD Version 2.2, Copyright © 2007 by Timothy A. Davis, Patrick R. Amestoy, and Iain S. Duff. All Rights Reserved.

AMD License: Your use or distribution of AMD or any modified version of AMD implies that you agree to this License. This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details. You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA Permission is hereby granted to use or copy this program under the terms of the GNU LGPL, provided that the Copyright, this License, and the Availability of the original version is retained on all copies. User documentation of any code that uses this code or any modified version of this code must cite the Copyright, this License, the Availability note, and "Used by permission." Permission to modify the code and to distribute modified code is granted, provided the Copyright, this License, and the Availability note are retained, and a notice that the code was modified is included.

AMD Availability: <http://www.cise.ufl.edu/research/sparse/amd>

UMFPACK 5.0.2

UMFPACK Notice: The UMFPACK code was modified. Used by permission.

UMFPACK Copyright: UMFPACK Copyright © 1995-2006 by Timothy A. Davis. All Rights Reserved.

UMFPACK License: Your use or distribution of UMFPACK or any modified version of UMFPACK implies that you agree to this License. This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details. You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA Permission is hereby granted to use or copy this program under the terms of the GNU LGPL, provided that the Copyright, this License, and the Availability of the original version is retained on all copies. User documentation of any code that uses this code or any modified version of this code must cite the Copyright, this License, the Availability note, and "Used by permission." Permission to modify the code and to distribute modified code is granted, provided the Copyright, this License, and the Availability note are retained, and a notice that the code was modified is included.

UMFPACK Availability: <http://www.cise.ufl.edu/research/sparse/umfpack> UMFPACK (including versions 2.2.1 and earlier, in FORTRAN) is available at <http://www.cise.ufl.edu/research/sparse>. MA38 is available in the Harwell Subroutine Library. This version of UMFPACK includes a modified form of COLAMD Version 2.0, originally released on Jan. 31, 2000, also available at <http://www.cise.ufl.edu/research/sparse>. COLAMD V2.0 is also incorporated as a built-in function in MATLAB version 6.1, by The MathWorks, Inc. <http://www.mathworks.com>. COLAMD V1.0 appears as a column-preordering in SuperLU (SuperLU is available at <http://www.netlib.org>). UMFPACK v4.0 is a built-in routine in MATLAB 6.5. UMFPACK v4.3 is a built-in routine in MATLAB 7.1.

Errata

The ADS product may contain references to "HP" or "HPEESOF" such as in file names and directory names. The business entity formerly known as "HP EEsof" is now part of Keysight Technologies and is known as "Keysight EEsof". To avoid broken functionality and to maintain backward compatibility for our customers, we did not change all the names and labels that contain "HP" or "HPEESOF" references.

Qt Version 4.8.4

Qt Notice: The Qt code was modified. Used by permission.

Qt Version 4.8.4, Copyright (C) 2014 Digia Plc and/or its subsidiary(-ies). All Rights Reserved. Contact:
<http://www.qt-project.org/legal>

Qt License: <http://qt-project.org/doc/qt-4.8/lgpl.html>. Your use or distribution of Qt or any modified version of Qt implies that you agree to this License. This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details. You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA Permission is hereby granted to use or copy this program under the terms of the GNU LGPL, provided that the Copyright, this License, and the Availability of the original version is retained on all copies. User documentation of any code that uses this code or any modified version of this code must cite the Copyright, this License, the Availability note, and "Used by permission." Permission to modify the code and to distribute modified code is granted, provided the Copyright, this License, and the Availability note are retained, and a notice that the code was modified is included.

Qt Availability: <http://www.qtsoftware.com/downloads>

Patches Applied to Qt can be found in the installation at: \$HPEESOF_DIR/prod/licenses/thirdparty/qt/patches.

You may also contact Brian Buchanan at Keysight Inc. at brian_buchanan@keysight.com for more information.

The HiSIM_HV source code, and all copyrights, trade secrets or other intellectual property rights in and to the source code, is owned by Hiroshima University and/or STARC.

HDF5

HDF5 Notice: The HDF5 code was modified. Used by permission.

HDF5 Copyright: Copyright 2006-2013 by The HDF Group.

HDF5 License:

Copyright Notice and License Terms for HDF5 (Hierarchical Data Format 5) Software Library and Utilities

HDF5 (Hierarchical Data Format 5) Software Library and Utilities

Copyright 2006-2013 by The HDF Group.

NCSA HDF5 (Hierarchical Data Format 5) Software Library and Utilities

Copyright 1998-2006 by the Board of Trustees of the University of Illinois.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted for any purpose (including commercial purposes) provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions, and the following disclaimer in the documentation and/or materials provided with the distribution.
3. In addition, redistributions of modified forms of the source or binary code must carry prominent notices stating that the original code was changed and the date of the change.
4. All publications or advertising materials mentioning features or use of this software are asked, but not required, to acknowledge that it was developed by The HDF Group and by the National Center for Supercomputing Applications at the University of Illinois at Urbana-Champaign and credit the contributors.
5. Neither the name of The HDF Group, the name of the University, nor the name of any Contributor may be used to endorse or promote products derived from this software without specific prior written permission from The HDF Group, the University, or the Contributor, respectively.

libpng

libpng Copyright: libpng versions 1.2.6, August 15, 2004, through 1.6.3, July 18, 2013, are Copyright (c) 2004, 2006-2013.

libpng License: This copy of the libpng notices is provided for your convenience. In case of any discrepancy between this copy and the notices in the file png.h that is included in the libpng distribution, the latter shall prevail.

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE:

If you modify libpng you may insert additional notices immediately following this sentence.

This code is released under the libpng license.

libpng versions 1.2.6, August 15, 2004, through 1.6.3, July 18, 2013, are Copyright (c) 2004, 2006-2013 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-1.2.5 with the following individual added to the list of Contributing Authors, Cosmin Truta

libpng versions 1.0.7, July 1, 2000, through 1.2.5 - October 3, 2002, are Copyright (c) 2000-2002 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors

Simon-Pierre Cadieux, Eric S. Raymond, Gilles Vollant and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998, 1999 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors: Tom Lane, Glenn Randers-Pehrson, Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996, 1997 Andreas Dilger Distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors: John Bowler, Kevin Bracey, Sam Bushell, Magnus Holmgren, Greg Roelofs, Tom Tanner

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals: Andreas Dilger, Dave Martindale, Guy Eric Schalnat, Paul Schmidt, Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

OpenSSL

The OpenSSL toolkit stays under a dual license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit. See below for the actual license texts. Actually both licenses are BSD-style Open Source licenses. In case of any license issues related to OpenSSL please contact openssl-core@openssl.org.

OpenSSL License

=====

Copyright (c) 1998-2011 The OpenSSL Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. All advertising materials mentioning features or use of this software must display the following acknowledgment: "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"
4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact openssl-core@openssl.org.
5. Products derived from this software may not be called "OpenSSL" nor may "OpenSSL" appear in their names without prior written permission of the OpenSSL Project.
6. Redistributions of any form whatsoever must retain the following acknowledgment: "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"

THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

This product includes cryptographic software written by Eric Young (eay@cryptsoft.com). This product includes software written by Tim Hudson (tjh@cryptsoft.com).

Original SSLeay License

Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
All rights reserved.

This package is an SSL implementation written by Eric Young (eay@cryptsoft.com).

The implementation was written so as to conform with Netscapes SSL. This library is free for commercial and non-commercial use as long as the following conditions are adhered to. The following conditions apply to all code found in this distribution, be it the RC4, RSA, lhash, DES, etc., code; not just the SSL code. The SSL documentation included with this distribution is covered by the same copyright terms except that the holder is Tim Hudson (tjh@cryptsoft.com).

Copyright remains Eric Young's, and as such any Copyright notices in the code are not to be removed. If this package is used in a product, Eric Young should be given attribution as the author of the parts of the library used. This can be in the form of a textual message at program startup or in documentation (online or textual) provided with the package.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. All advertising materials mentioning features or use of this software must display the following acknowledgement: "This product includes cryptographic software written by Eric Young (eyay@cryptsoft.com)" The word 'cryptographic' can be left out if the routines from the library being used are not cryptographic related.
4. If you include any Windows specific code (or a derivative thereof) from the apps directory (application code) you must include an acknowledgement: "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"

THIS SOFTWARE IS PROVIDED BY ERIC YOUNG "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The licence and distribution terms for any publically available version or derivative of this code cannot be changed. i.e. this code cannot simply be copied and put under another distribution license \[including the GNU Public Licence.]

Growl GNTTP support:

[The "BSD licence"] Copyright (c) 2009-2010 Yasuhiro Matsumoto

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Cuda

Cuda Redistributable Software - 1.8. Attachment A

In connection with Section 1.2.1.1 of this Agreement, the following files may be redistributed with software applications developed by Licensee, including certain variations of these files that have version number or architecture specific information embedded in the file name - as an example only, for release version 6.0 of the 64-bit Windows software, the file cudart64_60.dll is redistributable.

Component : CUDA Runtime

Windows : cudart.dll, cudart_static.lib

MacOS : libcudart.dylib, libcudart_static.a

Linux : libcudart.so, libcudart_static.a

Android : libcudart.so, libcudart_static.a

Component : CUDA FFT Library

Windows : cufft.dll

MacOS : libcufft.dylib

Linux : libcufft.so

Android : libcufft.so

Component : CUDA BLAS Library

Windows : cublas.dll

MacOS : libcublas.dylib

Linux : libcublas.so

Android : libcublas.so

Component : CUDA Sparse Matrix Library

Windows : cusparse.dll

MacOs : libcusparse.dylib

Linux : libcusparse.so

Android : libcusparse.so

Component : CUDA Random Number Generation Library

Windows : curand.dll

MacOs : libcurand.dylib

Linux : libcurand.so

Android : libcurand.so

Component : NVIDIA Performance Primitives Library

Windows : nppc.dll, nppi.dll, npps.dll

MacOs : libnppc.dylib, libnppi.dylib, libnpps.dylib

Linux : libnppc.so, libnppi.so, libnpps.so

Android : libnppc.so, libnppi.so, libnpps.so

Component : NVIDIA Optimizing Compiler Library

Windows : nvvm.dll

MacOs : libnvvm.dylib

Linux : libnvvm.so

Component : NVIDIA Common Device Math Functions Library

Windows : libdevice.compute_20.bc, libdevice.compute_30.bc, libdevice.compute_35.bc

MacOs : libdevice.compute_20.bc, libdevice.compute_30.bc, libdevice.compute_35.bc

Linux : libdevice.compute_20.bc, libdevice.compute_30.bc, libdevice.compute_35.bc

Component : CUDA Occupancy Calculation Header Library

All : cuda_occupancy.h

Read more at: <http://docs.nvidia.com/cuda/eula/index.html#ixzz30CrknWfU>

Warranty The material contained in this document is provided "as is", and is subject to being changed, without notice, in future editions. Further, to the maximum extent permitted by applicable law, Keysight disclaims all warranties, either express or implied, with regard to this documentation and any information contained herein, including but not limited to the implied warranties of merchantability and fitness for a particular purpose. Keysight shall not be liable for errors or for incidental or consequential damages in connection with the furnishing, use, or performance of this document or of any information contained herein. Should Keysight and the user have a separate written agreement with warranty terms covering the material in this document that conflict with these terms, the warranty terms in the separate agreement shall control.

Table of Contents

- Purpose 15
- Prerequisite 16
- Precautions 17
- Installing ADS Hotfix on Windows 18
 - Verification of Successful Installation of ADS Hotfix on Windows 18
- Uninstalling ADS Hotfix on Windows 19
- Installing ADS Hotfix on Linux 20
 - Verification of successful installation of ADS hotfix on Linux 20
- Uninstalling ADS Hotfix on Linux 21
- Known Issues and Workarounds 22

ADS 2015_01 Hotfix Installation Instructions

ADS2015.01 hotfix	ads201501hf<x> where, <x>=Current Hotfix Version
Applicable for	Windows, Linux
Version	430.hf<x> where, <x>=Current Hotfix Version

Purpose

This document describes the installation instructions for ADS2015.01 hotfix, which needs to be installed on top of existing ADS 2015.01 installation.

Prerequisite

You can install a hotfix on the top of ADS installation directory only. Therefore, you need to install ADS 2015.01 before installing the ADS 2015.01 hotfix. Also, if your ADS installation has any previous hotfixes already installed, before installing current hotfix, you need **not** to remove previous hotfixes. Current hotfix can be installed on top of existing hotfixes.

Precautions

Following is the list of precautions:

- Close ADS 2015.01, kill all the background processes related to ADS 2015.01 including Job Manager and Remote simulation, before installing the hotfix."
- Do not start ADS 2015.01 while hotfix installation is in progress.
- Do not interrupt the hotfix installation while it is in progress.
- Disable/Minimize UAC in case of Windows7 before installing hotfix.
- Make sure any of these listed process are not running while installing hot fix.
("hpeesofde" , "hpeesofemx" , "hpeesofdds" , "hpeesofhelp" , "hpeesofsim" , "hpeesofsess","hpeesofpkg",
"MomEngine", "agilent-vacomp", "eesofpvm*", "oaFSLockD.exe")

NOTE

For more information, refer to the instruction notes under **Known Issues and Workaround** topic.

Installing ADS Hotfix on Windows

To install ADS hotfix on Windows:

1. Download the installer archive ***ads_2015_01_hf<x>.win.zip***.
2. Extract the contents of the zip file.
After extraction, a directory ***ads_2015_01_hf<x>.win*** will be created.
3. In the extracted directory ***ads_2015_01_hf<x>.win***, there will be an executable ***"ads_2015_01_hf<x>.exe"*** and a batch file ***"install_ads_2015_01_hf<x>.bat"*** in "hf_files" folder, either can be used to install hotfix.

In Windows 7:

1.
 - a. Right click on ***"ads_2015_01_hf<x>.exe"*** and select ***"Run as administrator"***.
Installer will be launched. Follow the installer screens till the completion.
Or
 - b. Right click on ***"install_ads_2015_01_hf<x>.bat"*** and select ***"Run as administrator"***.
Command window pops up. Follow the instruction till the completion.

NOTE

We are introducing batch file for installation from this hotfix which haven't qualified fully.

Verification of Successful Installation of ADS Hotfix on Windows

Launch the short cut:

Start > All Programs > Advanced Design System 2015.01 > ADS tools > hotfixes > Show list of installed hotfixes and addons.

This shortcut will show the list of installed hotfixes on ADS2015.01.

NOTE

In Windows 7, if you launch the hotfix installer by double clicking on it instead of "Run as administrator", above shortcut will not be created.

In this case, as a workaround, you can see the list of installed hotfixes on ADS2015.01 by running the executable ***"list_of_hotfixes_and_addons.exe"*** located in ***<ADS installation directory>/bin***.

Uninstalling ADS Hotfix on Windows

To uninstall ADS hotfix on Windows:

1. Open the **hotfixes** folder in the ADS installation directory.
2. Double click and Run the batch file **remove_ads_2015_01_hf<x>.bat**.
3. Enter the ADS installation directory location.
4. Specify ADS2015.01 installation directory location at the prompt.
5. Click Enter.

The hotfix un-installation process will start. Various status messages will be displayed during un-installation of the hotfix.

At the end of successful un-installation, a message "hotfix un-installed successfully" will be displayed.

NOTE

- Please do **not** cancel the hot fix uninstallation while it is in progress. Please do not close the batch window during hot fix uninstallation. Any of these operations can make the ADS installation directory un-usable.
- Un-install all the previously installed hot fixes before uninstalling ADS base release or if ADS base release is uninstalled first then remove all the hot fix thrashes (folder) after uninstalling ADS base release.

Installing ADS Hotfix on Linux

1. Download the installer archive "`ads_2015_01_hf<x>linux.zip`"_
2. Open a terminal and set the `HPEESOF_DIR` environment variable to the existing ADS2015.01 installation directory.
For example, Assuming ADS 2015.01 is installed at `/disk1/ADS2015.01`, `HPEESOF_DIR=/disk1/ADS2015.01`;
`export HPEESOF_DIR` # bourne or K shell **`setenv HPEESOF_DIR /disk1/ADS2015.01`** # C shell
3. Extract the contents of the zip file by running the following command on terminal:
`unzip ads_2015_01_hf<x>_linux.zip`
4. After extraction, a directory "`ads_2015_01_hf<x>_linux`" will be created.
5. Change the directory to the "`ads_2015_01_hf<x>_linux`" and execute the shell script: "`install_ads_2015_01_hf<x>.sh`" as follows:
`e.g: ./install_ads_2015_01_hf<x>.sh`
You will be prompted to confirm the hotfix installation. Please press "y" at the prompt.
6. Hotfix Installation will start and various messages will be displayed to indicate the progress. At the end of successful installation, a message "**`hotfix installed successfully`**" will be displayed.

NOTE

Do not cancel the hotfix installation while it is in progress. This can make the ADS installation directory un-usable.

Verification of successful installation of ADS hotfix on Linux

1. Open a terminal and Set the `HPEESOF_DIR` environment variable to ADS2015.01 installation directory.
For example, if **ADS 2015.01** is installed at `/disk1/ADS2015.01`, then specify the following values for `HPEESOF_DIR` Environment variable:
`HPEESOF_DIR=/disk1/ADS2015.01; export HPEESOF_DIR` # bourne or K shell **`setenv HPEESOF_DIR /disk1/ADS2015.01`** # C shell
2. Change the directory to "`$HPEESOF_DIR/hotfixes`" and execute the shell script:
`"list_installed_hotfixes.sh"`.
For example, `./list_installed_hotfixes.sh`
3. You will see the list of the hotfixes as shown below:

List of regular hotfixes:

Version	Hotfix_name	Date_of_installation	status
430.hf<x>	<code>ads_2015_01_hf<x></code>	<Hotfix release date>	installed

Uninstalling ADS Hotfix on Linux

1. Open a terminal and set the **HPEESOF_DIR** environment variable to ADS2015.01 installation directory.
For example, if ADS2015.01 is installed at **/disk1/ADS2015.01**, then specify the following values for HPEESOF_DIR environment variable:
HPEESOF_DIR=/disk1/ADS2015.01; export HPEESOF_DIR # bourne or K shell **setenv HPEESOF_DIR /disk1/ADS2015.01** # C shell
2. Change the directory to "\$HPEESOF_DIR/hotfixes" and execute the shell script:
"remove_ads_2015_01_hf<x>.sh".
For example, **/ remove_ads_2015_01_hf<x>.sh**
3. You will be prompted to confirm the hotfix removal. Press "y" at the prompt.


Hotfix removal will start and various messages will be displayed to indicate the progress. At the end of successful un-installation, a message "**hotfix un-installed successfully**" will be displayed.

NOTE

Do **not** cancel the hotfix removal process while it is in progress. This can make the installation directory unusable.

Known Issues and Workarounds

Problem: ADS2015.01 Hot fix installation fails with the error message shown in below screenshot



Platforms on which this error can be seen: Mostly on Windows.

Reason for the error: After un-installing ADS2015.01, ADS installation directory still exists with some directories/files in it. If ADS2015.01 is re-installed with the same installation directory name as it existed before un-installation, these old directories/files still remain and they interfere with the hotfix installation causing above error.

Quick Workaround:

Using this workaround, hotfix can be installed successfully and ADS will be usable as before. But in future, if this hotfix is removed, then ADS will become un-usable.

1. Click "ok" on above error message and exit the installer.
2. Using explorer, please go inside <ADS installation directory>/tools/lib/blackbox
3. Delete the directory "prj_lists".
4. Install the hotfix and hotfix will be installed successfully.

Detailed solution:

1. Click "ok" on above error message and exit the installer.
2. Un-install existing ADS2015.01 from the start menu.
3. After Un-installation, using Windows explorer, delete the previous ADS installation directory completely.

4. Re-install ADS2015.01.
5. Install the hot fix and hot fix will be installed successfully. Above workaround/solution should help in resolving this issue.

Above workaround/solution should help in resolving this issue.

NOTE


In case of Vista/Windows7 because of permission issue UAC problem, hot fix installation won't able to back up the old file while installation. Un-check/minimize the UAC before installation will solve the problem.

Problem: Hot fix installed in Admin/Non-Admin Mode with UAC Enabled – *ADS fails to invoke in Non-Admin Mode*

Quick Workaround:

To un-check/minimize (in case of win7) user account setting:

1. Go to Control Panel\All Control Panel Items\User Accounts and click **Change User Account Control Setting**. The User Account Control Settings window is displayed.



2. Move the Vertical Slider towards **Never notify** and click **OK**.